



1040 Broad Street, 2nd Floor, Shrewsbury, New Jersey 07702
Tel: (732) 935-7100 Fax: (732) 935-7122
www.moseriplaw.com

RECEIVED
CENTRAL FAX CENTER

OCT 17 2007

Certificate

OCT 22 2007

of Correction

FACSIMILE COVER SHEET

THIS MESSAGE HAS 5 PAGES INCLUDING THIS SHEET

TO: Commissioner for Patents – U.S. Patent Office

FAX NO.: (571) 273-8300

FROM: Alan Taboada

DATE: October 17, 2007

MATTER: Patent No. 7,262,865 Issued: August 28, 2007

DOCKET NO.: APPM/8336

APPLICANT: David Mui et al.

CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. 1.8

I hereby certify that this correspondence is being transmitted by facsimile to Commissioner for Patents,
P.O. Box 1450, Alexandria, VA 22313-1450 Facsimile No. (571) 273-8300.

The following has been received on the date of this facsimile:

Transmittal Letter

Request for Certificate of Correction

Certificate of Correction Form

Dated: October 17, 2007

Total pages submitted: 4

OCT 22 2007

RECEIVED
CENTRAL FAX CENTER**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

OCT 17 2007

Applicant: David Mui et al. Examiner: Punnoose, Roy M
Patent No.: 7,262,865 Group Art Unit: 2886
Issue Date: August 28, 2007 Docket No: APPM/8336
Title: METHOD AND APPARATUS FOR CONTROLLING A CALIBRATION
CYCLE OF A METROLOGY TOOL

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction.
☒ Certificate of Correction Form - PTO-1050 (in duplicate).

Please charge any additional fees or credit overpayment to Deposit Account No.
50-3562.

Date: October 17, 2007

Respectfully Submitted,


Alan Taboada
Attorney Reg. No. 51,359
(732) 935-7100
Moser IP Law Group
1040 Broad Street, Second Floor
Shrewsbury, NJ 07702
Attorney for Applicant

CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. 1.8

I hereby certify that this correspondence is being transmitted by facsimile to the Commissioner for Patents,
P.O. Box 1450, Alexandria, VA 22313-1450 Facsimile No. (571) 273-8300.

The following has been received on the date of this facsimile:
Request for Certificate of Correction and Certificate of Correction Form

Dated: 10/17/2007
Total pages submitted: 4


SHARON LOBOSCO

OCT 22 2007

RECEIVED
CENTRAL FAX CENTEROCT 17 2007
PATENT

Patent 7,262,865

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,262,865

Docket No: APPM/8336

Issue Date: August 28, 2007

Patentee: David Mui et al.

Title:

METHOD AND APPARATUS FOR CONTROLLING A CALIBRATION
CYCLE OF A METROLOGY TOOL**REQUEST FOR CERTIFICATION OF CORRECTION**Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate are enclosed herein.


Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the errors being corrected in this request are that of the Patent Office, the Applicant believes that no fee is due in connection with this response.

The Examiner is hereby authorized to charge any additional fees, or to credit any overpayment to Deposit Account No. 50-3562.

Date: October 17, 2007

Respectfully Submitted,

Alan Taboada
Attorney Reg. No. 51,359
(732) 935-7100
Moser IP Law Group
1040 Broad Street, Second Floor
Shrewsbury, NJ 07702
Attorney for Applicant

OCT 22 2007

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,262,865

DATED : August 28, 2007

INVENTOR(S) : Mui et al..

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (54), in "Title", in column 1, line 3, delete "OR" and insert -- OF --, therefor.

In column 1, line 3, delete "OR" and insert -- OF --, therefor.

MAILING ADDRESS OF SENDER:

Moser IP Law Group
1040 Broad Street, 2nd Floor
Shrewsbury, NJ 07702

Atty Docket No: APPM/8336

PATENT NO. 7,262,865

No. of additional copies



OCT 22 2007

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,262,865

DATED : August 28, 2007

INVENTOR(S) : Mui et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (54), in "Title", in column 1, line 3, delete "OR" and insert -- OF --, therefor.

In column 1, line 3, delete "OR" and insert -- OF --, therefor.

MAILING ADDRESS OF SENDER:

Moser IP Law Group
1040 Broad Street, 2nd Floor
Strewsburg, NJ 07702

Atty Docket No: APPM/8336

PATENT NO. 7,262,865

No. of additional copies



OCT 22 2007